

advertisement



SHEFFIELD BRONZE PAINT CORP -- PIGMENT - BURNT UMBER -- 8010-00-247-4341

=====
Product Identification
=====

Product ID:PIGMENT - BURNT UMBER
 MSDS Date:05/01/1989
 FSC:8010
 NIIN:00-247-4341
 MSDS Number: BPRFB
 === Responsible Party ===
 Company Name:SHEFFIELD BRONZE PAINT CORP
 Address:17814 S WATERLOO RD
 City:CLEVELAND
 State:OH
 ZIP:44119-3221
 Country:US
 Info Phone Num:216-481-8330
 Emergency Phone Num:216-481-8330
 CAGE:91071

==== Contractor Identification ===
 Company Name:SHEFFIELD BRONZE PAINT CORP
 Address:17814 S WATERLOO RD
 Box:City:CLEVELAND
 State:OH
 ZIP:44119-3221
 Country:US
 CAGE:91071
 Company Name:STEVEN INDUSTRIES
 Address:39 AVENUE C
 Box:8
 City:BAYONNE
 State:NJ
 ZIP:07002-3417
 Country:US
 Phone:201-437-6501
 CAGE:33150

=====
Composition/Information on Ingredients
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
 Health Hazards Acute and Chronic:EYES: SEVERE IRRITATION, REDNESS,
 TEARING, BLURRED VISION. SKIN: PROLONGED OR REPEATED CONTACT:
 MODERATE IRRITATION, DEFATTING, DERMATITIS. BREATHING: NASAL &
 RESPIRATORY IRRITATION, DIZZINESS, FATIGU E, HEADACHE,
 UNCONSCIOUSNESS, & EVEN ASPHYXIATION. SWALLOWING: GASTROINTESTINAL
 IRRITATION, NAUSEA, VOMITING, DIARRHEA.*
 Effects of Overexposure:* ASPIRATION OF MATERIAL INTO THE LUNGS CAN
 CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL.

=====
First Aid Measures
=====

First Aid:SKIN: WASH EXPOSED AREA WITH SOAP & WATER. REMOVE CONTAMINATED CLOTHING. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE. EYES: FLUSH WITH LARGE AMOUNTS OF WATER, LIFTING UPPER & LOWER LIDS OCCASIONALLY. GET MED AID. IF BREATHED: IF AFFECTED REMOVE INDIVIDUAL TO FRESH AIR. IF BREATHING DIFFICULT, ADMINISTER OXYGEN. IF BREATHING HAS STOPPED GIVE ARTIFICIAL RESPIRATION. KEEP WARM, QUIET. GET MED AID.

=====
Fire Fighting Measures
=====

Flash Point:106F,41C

Lower Limits:1

Extinguishing Media:CO2, FOAM, DRY CHEMICAL, FOG, DO NOT USE DIRECT WATER STREAM.

Fire Fighting Procedures:DO NOT ENTER FIRE AREA WITHOUT PROPER PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:VAPORS ARE HEAVIER THAN AIR. THEY MAY TRAVEL ALONG GROUND OR ACCUMULATE IN LOW UNVENTILATED AREAS. PRODUCT WILL FLOAT AND CAN BE IGNITED ON SURFACE OF WATER.

=====
Accidental Release Measures
=====

Spill Release Procedures:ELIMINATE IGNITION SOURCES (FLARES, FLAMES, PILOT LIGHTS, ELEC SPARKS). EXCLUDE PERSONS NOT WEARING PROTECTIVE EQUIP FROM AREA TILL CLEANUP COMPLETED. STOP SPILL AT SOURCE. DIKE AREA. PUMP LIQUID TO S ALVAGE TANK. REMAINING LIQUID MAY BE TAKEN UP **

Neutralizing Agent:N/K ** W/ABSORB. SHOVEL INTO CNTNR. PREVENT RUNOFF TO SEWER,STREAM,WATERBODIES.

=====
Handling and Storage
=====

Handling and Storage Precautions:EMPTIED CONTAINERS RETAIN HAZARDOUS PRODUCT RESIDUE. ALL PRECAUTIONARY STATEMENTS MUST BE FOLLOWED WHEN EMPTY.

Other Precautions:DO NOT USE OR STORE EMPTY DRUM NEAR OPEN FLAME, SPARKS OR WELDING TORCHES.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:IF TLV IS EXCEEDED, NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN PRESSURE DEMAND/OTHER POSITIVE PRESSURE MODE ADVISED. OSHA REGS ALSO PERMIT OTHER NIOSH/MSHA RSPRTR UNDER SPECIFIED CONDITIONS.

Ventilation:PROVIDE SUFFICIENT MECHANICAL (GENERAL) LOCAL EXHAUST VENTILATION TO MAINTAIN BELOW TLV'S.

Protective Gloves:WEAR RESISTANT GLOVES (BUNA-N, NITRILE)

Eye Protection:CHEMICAL SPLASH GOGGLES, SAFETY GLASSES

Other Protective Equipment:TO PREVENT REPEATED OR PROLONGED SKIN CONTACT, WEAR IMPERVIOUS CLOTHING AND BOOTS.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:F4

Boiling Pt:B.P. Text:325 TO 385F

Vapor Density:> AIR

Spec Gravity:12.8 LBS/GAL

Evaporation Rate & Reference:SLOWER THAN ETHER

Percent Volatiles by Volume:19.2

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT WITH STRONG OXIDIZING AGENTS (NITRIC ACID, PERMANGANATES)
ETC.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
VARIOUS HYDROCARBONS.

===== Disposal Considerations =====

Waste Disposal Methods:DESTROY BY LIQUID INCINERATION. MATERIAL
COLLECTED ON ABSORBENT MATERIAL MAY BE DEPOSITED IN A POSTED TOXIC
SUBSTANCE LANDFILL IN ACCORDANCE WITH LOCAL STATE AND FEDERAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.